

RESOLUTION

RESOLUTION DECLARING THE NEED FOR THE ADOPTION OF A LOCAL AMENDMENT TO THE INTERNATIONAL RESIDENTIAL CODE FOR ONE-AND TWO-FAMILY DWELLINGS, 2015 EDITION, TO REMOVE THE REQUIREMENT FOR AN ICE BARRIER UNDERLAYMENT AS INDICATED IN TABLE R301.2.

WHEREAS, the Council of The City of Oklahoma City finds that said City needs an up-to-date code of ordinances to provide for the public's safety, health and welfare through properly designed, acceptably installed, and adequately maintained buildings and structures; and

WHEREAS, it is the desire of the Council to make such changes in the International Residential Code for One- and Two-Family Dwellings, 2015 Edition, as amended.

NOW, THEREFORE, BE IT RESOLVED by the Council of The City of Oklahoma City, that the International Residential Code for One- and Two-Family Dwellings, 2015 Edition, be and the same hereby is ordered, amended, and changed in the following respects;

Table R301.2:

Table R301.2 is hereby amended to fill the table with the following: ground snow load -10 psf; wind speed - 90 mph; seismic design category - C; weathering - moderate; frost line depth - 18 inches; termite – yes; winter design temp. – 13F; ice barrier underlayment required – no; flood hazards – See Chapter 16 of the Oklahoma City Municipal Code; air freezing index – 332; mean annual temp. – 60F.

All other provisions of the International Residential Code for One- and Two-Family Dwellings, 2015 Edition, adopted on September 24, 2019, and amended on December 17, 2019, remain intact.

APPROVED by City Council and **SIGNED** by the Mayor of The City of Oklahoma City this 16th day of August 2022.

THE CITY OF OKLAHOMA CITY

ATTEST:

Amy K. Simpson
City Clerk



David Holt
MAYOR

REVIEWED for form and legality.

Rita E. Douglas-Tally
Assistant Municipal Counselor