

Planning Commission Minutes
June 23, 2022

(The agenda was filed with the City Clerk of The City of Oklahoma City at 8:26 a.m. on June 21, 2022.)

5. (PC-10821) Application by Chisholm Creek Village, LLC, to rezone 1400 NW 112th Street from the R-1 Single-Family Residential District to the R-2 Medium-Low Density residential District. Ward 7.

RECOMMENDED APPROVAL.

MOVED BY PENNINGTON, SECONDED BY POWERS

AYES: CRAVENS, POWERS, FRALEY, HINKLE, GOVIN, PENNINGTON;

ABSENT: CLAIR, PRIVETT, LAFORGE



STAFF REPORT
The City of Oklahoma City
Planning Commission
June 23, 2022

Item No. IV. 5.

(PC-10821) Application by Chisholm Creek Village, LLC, to rezone 1400 NW 112th Street from the R-1 Single-Family Residential District to the R-2 Medium-Low Density residential District. Ward 7.

I. GENERAL INFORMATION

A. Contacts

Applicant's Representative

Mark Grubbs, Grubbs Consulting, LLC
(405) 265-0641
Mark.grubbs@gc-okc.com

B. Case History

This is a new application.

C. Reason for Request

The purpose of this request is to permit two-family (duplex) style residential development.

D. Existing Conditions

1. Size of Site (7500 sq. ft.)

2. Zoning and Land Use

	Subject Site	North	East	South	West
Zoning	R-1	R-2	R-1	R-2	R-2
Land Use	Vacant	Vacant	Vacant	Vacant	Vacant

3. Comprehensive Plan Land Use Typology Area: Urban – Low Intensity (UL)

UL applies to the least intensively developed areas of the city that still receive urban water, sewer, police, park and fire services. Development in this area should provide horizontal integration of land uses, connectivity within and between individual developments, and design that facilitates pedestrian and bicycle transportation.

4. Development Context: The subject site is located on the south side of NW 112th Street between Fenton Avenue and N. University Avenue, in an area generally north of W Hefner Road and west of N Western Avenue. The site is undeveloped and zoned R-1 and within the developing Chisholm Creek Village subdivision.

The subject site is surrounded by a mixture of undeveloped R-1 and R-2 zoned parcels. The requested R-2 District would allow a duplex in addition to single-family residential.

II. REVIEW COMMENTS

This application was submitted to the following agencies, departments, and/or divisions for review and comment. An asterisk indicates that the agency, department, and/or division responded with no adverse comments.

A. Outside Agencies

- 1. Oklahoma City-County Health Department (OCCHD)**
- 2. Oklahoma City Urban Renewal Authority (OCURA)**
- 3. Oklahoma Gas and Electric (OGE)**
- 4. Oklahoma Water Resources Board (OWRB)**
- 5. School District (Oklahoma City)**
- 6. Oklahoma Department of Transportation (ODOT)**
- 7. Oklahoma Natural Gas (ONG)**
- 8. Oklahoma Electric Cooperative (OEC)**

B. City Departments

- 1. Airports**
- 2. Central Oklahoma Transportation and Parking Authority (COTPA)**
- 3. Fire**
- 4. Information Technology/Geographic Support**
- 5. Parks and Recreation**
- 6. Police**
- 7. Public Works**

a. Engineering

Storm Sewer Availability

- 1) The Public Works Drainage Division staff has reviewed the subject application. All development, new construction, and/or substantial improvements planned within the proposed area shall be subject to chapter 16 of the Oklahoma City Municipal Code.
- 2) Storm sewers in accordance with the City's Drainage Ordinance will be required. Development abutting section line roads with drainage flows that exceed the capacity of OKC standard ditch detail (D-100) will necessitate the installation of enclosed storm sewer and/or concrete channel. These improvements shall be placed to provide a minimum of 35' clearance distance from the centerline of the section. Concrete channels must be entirely outside public right-of-way.
- 3) A flood and/or drainage study will be required to establish finished floor elevations, common lot areas or private drainage easements. A final plat should not be submitted until the study has been reviewed and approved by the Public Works Department.
- 4) Plans for drainage improvements within the private drainage reserves and/or common areas must be submitted for review, and payment of inspection fees shall be made prior to construction. Building permits will not be issued until construction is complete. If a subdivision abuts a stream, the private drainage easements and/or common area along stream shall extend to flow line of stream at a minimum.
- 5) Place the following note on the plat and construction plans: Maintenance of the Common Areas and/or Private Drainage Easements shall be the responsibility of the property owner. No structures, storage of material, grading, fill or other obstructions, including fences, either temporary or permanent shall be placed within the common areas and/or drainage easements shown.
- 6) Drainage easements shall be clearly denoted as public or private in owner's dedication, on the plat, and/or in the plat notes.
- 7) Construction within the limits of this PC will require an erosion control plan in accordance with EPA Storm Water Discharge permitting: CFR Vol. 57, No. 175, September 9, 1992.

A copy of the EPA Notice of Intent (NOI) will be required prior to the issuance of work orders or permits for construction activities disturbing an area of 1/2 acre or greater.

- 8) Sidewalks shall be installed for all new construction and/or at the time of a residential use to a more intense use on all lots having frontage on public streets classified as a major or minor arterial.
- 9) All private roads /streets will have private storm sewer systems.
- 10) Engineer/developers will be contacting PW for detention determination before they submit their final plat and plans.

8. Streets, Traffic and Drainage Maintenance

9. Stormwater Quality Management

10. Traffic Management

11. Utilities

a. Engineering

Wastewater Availability

- 1) An existing 8” wastewater main(s) is adjacent to the subject site(s) and a service connection will be permitted in accordance with City Standard Specifications. A separate service line connection is required for each building/structure.
- 2) All wastewater mains must flow within the existing drainage basin. Proposed wastewater mains that will flow to another drainage basin across a ridgeline will not be allowed.
- 3) Minimum ten (10) foot horizontal separation required for water mains and five (5) foot for other crossings. Minimum two (2) foot vertical separation required for all crossings. All wastewater mains must have a minimum cover of six (6) feet and a depth no greater than eighteen (18) feet.

- 4) The developer will be required to extend the wastewater collection system to each lot or site within the subdivision or land improvements in accordance with City Standard Specifications and the current Subdivision Regulations.
- 5) Proposed wastewater main(s) must be located in a twenty (20) foot wide easement. No trees, signs, dumpster, fences, and/or structures shall be permitted within any proposed or existing utility easement. All existing unused wastewater services must be abandoned at the wastewater main.
- 6) Proposed minimum lot size does not meet the current 30,000 square foot minimum lot size for lots with on-site sewage disposal systems. On-site aerobic sewage disposal systems require a minimum twenty-five (25) foot setback from the property line or public property.

b. Solid Waste Management

No Solid Waste Management services needed.

c. Water/Wastewater Quality

Water Availability

- 1) An existing 6" water main(s) is adjacent to the subject site(s) and a service connection will be permitted in accordance with City Standard Specifications. A separate service connection and meter is required for each building / structure.
- 2) Minimum ten (10) foot horizontal separation required for water mains and five (5) foot for other crossings. Minimum two (2) foot vertical separation required for all crossings. All water mains must have a minimum cover of five (5) feet along section line roads and four (4) feet elsewhere.
- 3) Dead-end water mains must be avoided where applicable. All existing unnecessary water services must be abandoned at the water main(s).
- 4) In accordance with ODEQ regulations, the City provides water at a minimum pressure of 25 psi. The developer is responsible for designing and construction of all fixtures to provide adequate domestic and fire protection under minimum pressure conditions. The developer will be responsible for any failure of domestic and fire protection systems which require water pressure in excess of 25 psi.

- 5) Proposed water main(s) must be located within a utility easement and/or right-of-way. No trees, signs, dumpsters, fences, and/or structures shall be permitted within any proposed or existing utility easement.
- 6) All existing and proposed meters must meet current specifications and standard details and be located in the right of-way or utility easement within grassy areas outside of sidewalks, driveways, streets and/or paving.
- 7) All domestic and fire suppression services must have separate water service connections. Fire hydrants maximum spacing is 500 foot and must be located within 10 foot of a hard surface (i.e. sidewalk, street, and/or paving).

12. Planning

a. Comprehensive Plan Considerations

1) LUTA Development Policies:

Site Design:

- Utilize Best Management Practices (BMP) for stormwater whenever possible.
- Developments should be served by urban water and sewer utility systems.

The area is served by water and sewer. National, state, and local permitting require basic best management practices for stormwater management.

Density: The Urban Low Intensity LUTA outlines a density range of 4 to 8 dwelling units per acre for single family, and 15 to 30 dwelling units per acre for multifamily. *The R-2 District regulations can provide densities within this range.*

Automobile Connectivity:

- Maintain, create, and enhance a street network that is highly connected to increase number of viable commercial locations and the effectiveness of the transportation system.
- Protect existing traditional street grid and reconnect it where possible.

The subject site is located along a recently improved NW 112th Street.

Pedestrian Connectivity:

- Provide sidewalk connections to adjacent development.

Sidewalks will be required.

- 2) **Compatibility:** The comprehensive plan includes a land use compatibility matrix used to identify potential conflicts between major land use categories.

When locating duplex lots adjacent to existing residential zoning, “Building Scale and Site Design” are potential compatibility issues identified by the comprehensive plan.

Building Scale and Site Design: The comprehensive plan calls for mitigation measures for new projects if residential lot sizes in UL are less than 60% of directly adjacent residential lots, the setbacks are significantly deeper or more shallow than the predominant character of adjacent development; the building’s orientation to the street differs from the predominant character of adjacent development; building size or street frontage dramatically differs from that of adjacent uses, the lot coverage (including buildings and paved areas) dramatically exceeds that of adjacent uses, or if buildings within 40 ft. of a single-family residential structure exceed a 3:1 ratio in height. *No triggers requiring mitigation were identified.*

3) Service Efficiency:

- Water: *Served*
- Sewer: *Fully Served*
- Fire Service: *Urban Service Level*

4) Environmentally Sensitive Areas: No ESAs were identified on the site.

5) Transportation System: This site is located off NW 112th Street, a Neighborhood Street in the Urban Low LUTA. The nearest transit (bus) service is located to the south along W Hefner Road.

6) Other Development Related Policies

- Support diversity and integration of housing unit types and sizes in all land use typology areas in order to meet the diverse needs of households of different sizes, generational needs, incomes, and preferences. (SU-4)
- Require sidewalks on both sides of all streets in urban LUTAs. (C-7)
- Improve the functionality and efficiency of the street network by:
 - Providing direct connections from residential developments to nearby places and to each other.
 - Providing street and sidewalk stubs to adjacent vacant land in anticipation of future development.
 - Connecting new development to existing street and sidewalk stubs, and to existing trail, open space, and bicycle networks.
 - Reducing block sizes and use of dead-end streets.
 - Maintaining the existing street grid to preserve connectivity and mobility options. (C-11)

b. Plan Conformance Considerations

The 7,000-square-foot subject site is located on the south side of NW 112th Street between Fenton Avenue and N University Avenue, in an area generally north of W Hefner Road and west of N Western Avenue. The site is zoned R-1 and within the planned and developing Chisholm Creek Village subdivision, in an area where many properties are zoned R-2. The proposed R-2 District is consistent with the comprehensive plan and compatible with surrounding development.


IV. STAFF RECOMMENDATION

Staff recommendations are advisory only and do not constitute Planning Commission decisions. Staff recommendations are based on a technical evaluation of information submitted at the time of review. Determination of conformance with policies contained in the comprehensive plan is the purview of the Planning Commission. Planning Commission decisions require a vote of five members to approve or deny an item. The Planning Commission may consider in its decision-making process any additional relevant information presented at the public hearing by the public, applicant, and/or City departments.

Approval of the application.


taj

Case No: PC-10821 Applicant: Chisholm Creek Village, LLC
Existing Zoning: R-1 Proposed zoning: R-2
Location: 1400 NW 112th St.



The City of
OKLAHOMA CITY

Rezoning Application



Case No: PC-10821 Applicant: Chisholm Creek Village, LLC
Existing Zoning: R-1 Proposed zoning: R-2
Location: 1400 NW 112th St.



Aerial Photo from 2/2020



The City of
OKLAHOMA CITY

Rezoning Application



0 200 400
Feet