

Planning Commission Minutes
March 27, 2025

(The agenda was filed with the City Clerk of The City of Oklahoma City at 4:38 p.m. on March 21, 2025)

6. (PC-10966) Application by Sakz Property LLC, to rezone 1810 North MacArthur Boulevard from R-1 Single-Family Residential and SPUD-458 Simplified Planned Unit Development Districts to R-2 Medium-Low Density Residential District. Ward 2.

The applicant was present. There was a protester present.

RECOMMENDED APPROVAL.

MOVED BY POWERS, SECONDED BY MEEK

AYES: CLAIR, POWERS, MEEK, PRIVETT, NEWMAN, GOVIN, PENNINGTON,
NOBLE, LAFORGE



STAFF REPORT
The City of Oklahoma City
Planning Commission
March 27, 2025

Item No. IV. 6.

(PC-10966) Application by Sakz Property LLC, to rezone 1810 North MacArthur Boulevard from R-1 Single-Family Residential and SPUD-458 Simplified Planned Unit Development Districts to R-2 Medium-Low Density Residential District. Ward 2.

I. GENERAL INFORMATION

A. Contacts

Applicant's Representative

Brady Ghaniabadi
Cut Land Development
405-503-3627
brady@cutlanddevelopment.com

B. Case History

This is a new application.

C. Reason for Request

The purpose of this request is to allow two-family residential (duplex) development.

D. Existing Conditions

1. Size of Site 3.54 Acres

2. Zoning and Land Use

	Subject Site	North	East	South	West
Zoning	R-1/SPUD-458	R-4/C-4	R-1	R-1/O-1	SPUD-458
Land Use	Commercial /Undeveloped	Retail /Undeveloped	Residential	Auto/Residential	Commercial

3. Comprehensive Plan Land Use Typology Area: Urban – Low Intensity (UL)

UL applies to the least intensively developed areas of the city that still receive urban water, sewer, police, park and fire services. Development in this area should provide horizontal integration of land uses, connectivity within and between individual developments, and design that facilitates pedestrian and bicycle transportation.

II. REVIEW COMMENTS

This application was submitted to the following agencies, departments, and/or divisions for review and comment. An asterisk * indicates that the agency, department, and/or division responded with no adverse comments.

A. Outside Agencies

- 1. Oklahoma City-County Health Department (OCCHD)**
- 2. Oklahoma City Urban Renewal Authority (OCURA)**
- 3. Oklahoma Gas and Electric (OGE)**
- 4. Oklahoma Water Resources Board (OWRB)**
- 5. School District (Putnam City)**
- 6. Oklahoma Department of Transportation (ODOT)**
- 7. Oklahoma Natural Gas (ONG)**
- 8. Oklahoma Electric Cooperative (OEC)**

B. City Departments

- 1. Airports**
- 2. Central Oklahoma Transportation and Parking Authority (COTPA)**
- 3. Fire (OCFD) ***
- 4. Information Technology/Geographic Support (IT/GIS)**
- 5. Parks and Recreation**
- 6. Police (OCPD)**
- 7. Public Works**
 - a. Engineering**

Storm Sewer Availability

- 1) The Public Works Engineering staff has reviewed the subject application. All development, new construction, and/or substantial improvements planned within the proposed area shall be subject to the applicable requirements of the Oklahoma City Municipal Code, as amended.
- 2) Storm sewers, in accordance with the City of Oklahoma City's Drainage Ordinance, will be required. For developments abutting section line roads where rainfall-runoff exceeds the capacity of the City of Oklahoma City's standard ditch detail, the installation of enclosed storm sewers and/or concrete channels will be necessary. These improvements must be positioned to provide a minimum clearance of 35 feet from the centerline of the section line road. Concrete channels must be located entirely outside the public right-of-way.
- 3) A flood/drainage study will be required to establish finished floor elevations, common lot areas, and private drainage easements. This study must be reviewed and approved by the Public Works Department.
- 4) Plans for drainage improvements within private drainage easements and/or common areas must be submitted for review. Building permits will not be issued until construction is complete. For subdivisions abutting a stream, private drainage easements and/or common areas along the stream must, at a minimum, encompass the entire FEMA-mapped Zone AE and floodway within the limits of the development.
- 5) Place the following note on the plat and construction plans: Maintenance of the common areas, private drainage easements, and islands/medians shall be the responsibility of the Property Owners Association and/or the adjacent property owners. No structures, storage of material, grading, fill, or other obstructions, including fences, either temporary or permanent, that shall cause a blockage of flow or an adverse effect on the functioning of the storm water facility, shall be placed within the drainage related common areas and/or drainage easements shown. Certain amenities such as, but not limited to, walks, benches, piers, and docks, shall be permitted if installed in a manner that meets the requirements specified above.
- 6) Drainage easements shall be clearly designated as either public or private in the owner's dedication, on the plat, and/or in the plat notes.
- 7) Sediment and erosion control measures shall be provided for any construction in accordance with Oklahoma Statutes Title 27A, OAC 606 - OPDES Standards, and the City of Oklahoma City Municipal Code, as amended.

A City of Oklahoma City Land Disturbance Permit and an ODEQ Construction Permit are required for land disturbance activities exceeding one (1) acre, as specified by the above-referenced regulations. Additionally, a City of Oklahoma City Land Disturbance Permit is required for any construction activity, regardless of the amount of land disturbed, unless exempt under the ordinance.

- 8) Sidewalks shall be installed for all new construction in accordance with the Municipal Code. Any new sidewalks or repair/replacement of existing sidewalks shall be provided in accordance with the City of Oklahoma City Municipal Code and ADA requirements at the time of construction.
- 9) All private roads and streets shall have a private storm sewer system.

8. Streets, Traffic and Drainage Maintenance

9. Stormwater Quality Management

10. Traffic Services *

11. Utilities

a. Wastewater Comments

1. An existing 8-inch wastewater main(s) is located adjacent to the subject site(s).
2. Line capacity is not guaranteed and must be checked by the Engineer of Record and reviewed by the City.
3. The developer will be required to extend the City wastewater collection system to and across each lot or site within the subdivision in accordance with the City Standard Specifications and Private Development Design Manual.
4. Minimum ten (10) feet horizontal separation is required from water mains and five (5) feet for other utilities. Minimum two (2) feet vertical separation required for all crossings. All wastewater mains must have a minimum cover of four (4) feet and depth no greater than eighteen (18) feet. Developer is responsible for remediating any failure to maintain the minimum four (4) feet of cover.
5. Wastewater main(s) must be centrally located in a twenty (20) feet wide easement or larger if necessary. No trees, signs, dumpster, fence, and/or

structures shall be permitted over any proposed or existing utility main. An approved revocable permit must be obtained to have any private improvement located within any utility easement and/or right-of-way.

6. All existing unused private wastewater service connections must be abandoned and capped at the main in accordance with City Standard Specifications and Private Development Design Manual.
7. Plat may be revised after review and approval of utility plans.

b. Water Comments

1. An existing 10-inch water main(s) is located adjacent to the subject site(s).
2. Minimum ten (10) feet horizontal separation required from wastewater mains and five (5) feet for other utilities. Minimum two (2) foot vertical separation required for all utility crossings. All water mains must have a minimum cover of five (5) feet along section line roads and four (4) feet elsewhere.
3. Proposed and/or existing water mains must be located centrally within a twenty (20) feet wide or larger utility easement or right-of-way. No trees, signs, dumpster, fence, and/or structures shall be permitted over any proposed or existing utility main. An approved revocable permit must be obtained to have any private improvement located within any utility easement and/or right-of-way.
4. Dead-end water mains must be avoided when possible. All existing unused water services must be capped and abandoned at the water main in accordance with the City Standard Specifications.
5. In accordance with ODEQ regulations, the City provides water at a minimum pressure of 25 psi. The developer is responsible for designing and construction of all fixtures to provide adequate domestic and fire protection under minimum pressure conditions. The developer will be responsible for any failure of domestic or fire protection systems which require water pressure in excess of 25 psi. The developer is responsible for installing pressure reducers if necessary for protection of developer's service lines, plumbing, and fixtures.
6. All existing and/or proposed water meters must be located in the right-of-way and/or utility easement within grassy areas outside of sidewalks, driveways, streets, and paving.

7. All domestic and fire suppression services must have a separate water service connection. Fire hydrant spacing shall not exceed 500 feet and must be located within ten (10) of a hard surface (i.e. sidewalk, street, paving).
8. Supply capacity for development is not guaranteed and will be reviewed at time of review of construction documents.
9. Plat may be revised after review and approval of utility plans.

c. Solid Waste Management

No Solid Waste Management services needed.

12. Planning

a. Comprehensive Plan Considerations

1. LUTA Development Policies:

Site Design:

- Utilize Best Management Practices (BMP) for stormwater whenever possible.
- Developments should be served by urban water and sewer utility systems.

National, state, and local permitting require basic best management practices for stormwater management. Public water and sewer are available on or near the site.

Density: The Urban Low Intensity LUTA outlines a density range of 4 to 8 dwelling units per acre for single family residential. *The proposed R-2 District allows single-family residential on minimum 5,000 square foot lots and/or 1 du/3,000 square feet for duplex development. The proposed zoning could allow up to 14 du/acre, or up to 25 duplexes on the 3.54-acre site. The number of lots and the subdivision design would be determined at the platting stage.*

Automobile Connectivity:

- Maintain, create, and enhance a street network that is highly connected to increase number of viable commercial locations and the effectiveness of the transportation system.
- Limit number of dead-end streets and cul-de-sacs.
- Protect existing traditional street grid and reconnect it where possible.
- Limit curb cuts on arterial streets, and where possible concentrate access at shared entrance points.
- Development fronting arterials should take access from intersecting streets where possible.
- Provide vehicular connectivity between adjacent developments.

The subject site does not currently have street frontage. The site is currently under common ownership with the parcel to the west that fronts North MacArthur Boulevard. Access cannot be specified in a base zoning request and is per Code and Subdivision Regulations.

Pedestrian Connectivity:

- Provide sidewalk connections to adjacent development.

Sidewalks are not currently available on the subject site. Sidewalk requirements would be per Code and cannot be stipulated in a base zoning request.

2. **Compatibility:** The comprehensive plan includes a land use compatibility matrix used to identify potential conflicts between major land use categories. When locating the proposed uses adjacent to existing industrial or residential uses or zoning, “Building Scale and Site Design” is a potential compatibility issue identified by the comprehensive plan.

Building Scale and Site Design: The comprehensive plan calls for mitigation measures for new projects if residential lot sizes in UL are less than 60% of directly adjacent residential lots, the setbacks are significantly deeper or more shallow than the predominant character of adjacent development; the building’s orientation to the street differs from the predominant character of adjacent development; building size or street frontage dramatically differs from that of adjacent uses, the lot coverage (including buildings and paved areas) dramatically exceeds that of adjacent uses, or if buildings within 40 ft. of a single-family residential structure exceed a 3:1 ratio in height. *The subject site abuts existing single-family residential lots that range from 6,800 to 11,900 square feet to the east, and 0.86- and 0.88-acre parcels to the south. Plan conformance would be strengthened by providing lot sizes along the east boundary that are sized within 60% of abutting lots. The setbacks, lot coverage and building height allowed in R-2 are similar to the R-1 District. No other triggers requiring mitigation measures related to building scale and site design were identified.*

3. **Service Efficiency:**

- Water: *Served*
- Sewer: *Fully Served*
- Fire Service: *Urban Response*

4. **Environmentally Sensitive Areas:** The following apply to the proposed development site:

- Riparian Areas: N/A
- Upland Forests: N/A
- Vulnerable Aquifers: The aquifer in this area is considered highly vulnerable to depletion. The comprehensive plan recommends preserving natural open spaces and utilizing low impact development techniques

whenever possible in new developments in order to maintain water quality and allow for the infiltration of stormwater onsite. Low impact development techniques include, but are not limited to, using pervious surface materials wherever possible for the construction of driveways, parking areas, sidewalks, patios, etc., to promote increased water percolation and infiltration.

- 5. Transportation System:** This site is located off North MacArthur Boulevard, a Major Arterial Street in the Urban Low LUTA. The nearest transit (bus) service is located just west of the site, along North MacArthur Boulevard.

6. Other Development Related Policies

- Support diversity and integration of housing unit types and sizes in all land use typology areas in order to meet the diverse needs of households of different sizes, generational needs, incomes, and preferences. New residential subdivisions should achieve a mixture of housing types within a unified development. (SU-4)
- Encourage redevelopment and infill development on vacant, underutilized, and brownfield sites in urbanized areas. (SU-19)
- Require sidewalks on both sides of all streets in urban LUTAs. (C-7)
- Improve the functionality and efficiency of the street network by:
 - Providing direct connections from residential developments to nearby places and to each other.
 - Providing street and sidewalk stubs to adjacent vacant land in anticipation of future development.
 - Connecting new development to existing street and sidewalk stubs, and to existing trail, open space, and bicycle networks.
 - Reducing block sizes and use of dead-end streets.
 - Maintaining the existing street grid to preserve connectivity and mobility options. (C-11)
- Limit driveways on arterials and collectors and increase connections between uses to improve safety and traffic efficiency. (C-30)
- Ensure proper access to and between subdivisions in order to offer a choice in routes for residents, multiple access points for emergency responders, and to reduce vehicle congestions at arterial intersections. (C-32)
- Support and incentivize the adaptive use of existing buildings, infill development, and brownfield development. (G-10)
- Preserve mature, healthy trees and incorporate them into the design of new development or redevelopment projects to the greatest extent possible. (G-26)

b. Plan Conformance Considerations

The subject site is located east of North MacArthur Boulevard and north of NW 16th Street. The proposed rezoning site does not have street frontage, but is currently under common ownership with the parcel to the west that fronts North MacArthur Boulevard. The subject site incorporates a portion of SPUD-458, associated with the property to the west, into the rezoning request. Adjacent to the north is undeveloped R-4 land. East and south of the subject site are single-family residences zoned R-1. Abutting the site to the southwest is an office zoned O-1, fronting NW 16th Street. Southwest of the site, at the northeast corner of North MacArthur Boulevard and NW 16th Street, is a gas station zoned C-3. West of the site, fronting North MacArthur Boulevard, are an R-1 and C-3 zoned church, retail uses zoned as SPUD-458, and a supply store zoned C-4.

The requested R-2 District would allow single- or two-family attached (duplex) residential development. The proposed R-2 District has the same setbacks, lot coverage, and building height regulations as the existing and surrounding R-1 Districts. The subdivision design including access to the new residential lots will be per the Subdivision Regulations.

IV. STAFF RECOMMENDATION

Staff recommendations are advisory only and do not constitute Planning Commission decisions. Staff recommendations are based on a technical evaluation of information submitted at the time of review. Determination of conformance with policies contained in the comprehensive plan is the purview of the Planning Commission. Planning Commission decisions require a vote of five members to approve or deny an item. The Planning Commission may consider in its decision-making process any additional relevant information presented at the public hearing by the public, applicant, and/or City departments.

Approval of the application.

gjh


Case No: PC-10966

Applicant: Sakz Property, LLC

Existing Zoning: R-1 / SPUD-458

Proposed zoning: R-2

Location: 1810 N. MacArthur Blvd.



Note: "Subject" is located approximately 1,765' North of NW 23rd St.

Rezoning Application



The City of
OKLAHOMA CITY



0 150 300
Feet

Case No: PC-10966 Applicant: Sakz Property, LLC
Existing Zoning: R-1 / SPUD-458 Proposed zoning: R-2
Location: 1810 N. MacArthur Blvd.



Aerial Photo from 2/2022

Note: "Subject" is located approximately 1,765' North of NW 23rd St.



The City of
OKLAHOMA CITY

Rezoning Application



0 150 300
Feet