













Window # 1 front right most – 24" x 54" – Too damaged to repair propose to replace.







Window # 2 – 36 x 54 – Front Middle – Too damage to repair, propose to replace





Window # 3 – 24 x 54 – Front right – Too damaged to repair, propose to replace





Window #4 – 28 x 54 - Front left side in porch area – Too Damage to repair, propose to replace







Window # 5 – 28 x 54 – Left front in porch area Too damaged to repair, propose to replace







Window # 6 – 32 x 54 – Too damaged to repair, propose to replace





Window # 7 22 x 54 – Too damaged to repair, propose to replace





Window # 8 East side of house bathroom – Too damaged to repair, proposed to replace









Window # 9 Southeast bedroom – Too damaged to repair, propose to replace





Window #10 – 24 x 36 Window was replaced previously; propose to replace to match the rest of the house



Windows # 11, #12, #13 opening 106 x 54 – Window completely missing propose to install two 3 32 x 54



Window # 14, #15 – Westside dining room – window is missing, propose to replace with windows to match the rest of the house.







Window # 16 24 x 32 Westside living room too damaged to repair, propose to replace





Window # 17 - 24 x 32 Westside living room too damaged to repair, propose to replace





Pella® Lifestyle Series

Clad/Wood



#1 performing wood window and patio door for the combination of energy, sound and value.¹

Triple-pane casement



Dual-pane double-hung window with Hidden Screen



- **Performance redefined**
You don't have to compromise on any aspect of performance. Available performance solutions offer an unbeatable combination of energy efficiency, sound control and value.¹
- **ENERGY STAR® certified²**
Pella products offer energy-efficient options that will meet or exceed ENERGY STAR guidelines in all 50 states. Pella Lifestyle Series products with triple-pane glass have been awarded ENERGY STAR Most Efficient Mark in 2023.
- **Enhanced sound control**
Our patented, triple-pane design with Advanced Low-E glass allows for mixed glass thickness for enhanced sound dampening resulting in an average 52% noise reduction versus single-pane windows.³
- **Intentional design for improved durability**
Intentional jamb on sill design helps seal the end grain of the wood and elevates it off the rough opening, reducing the potential for moisture.
- **Durable 3-way corner joints**
Three-way corner joints are made up of mortise-and-tenon, metal fasteners and commercial adhesive for added strength and durability.
- **Low-maintenance exteriors**
Aluminum-clad exteriors with EnduraClad® finish resists fading and chalking. It is applied in an overlapping fashion for exceptional protection.
- **Exclusive wood protection**
Pella's exclusive EnduraGuard® wood protection is applied after the pieces have been cut and milled, but prior to final assembly. It provides advanced protection against the effects of moisture, decay, stains from mold and mildew — as well as termite damage.
- **Time-tested innovations**
Create unique room-by-room solutions and achieve project goals with performance options and purposeful innovations like the Hidden Screen and integrated blinds, shades and security sensors. For more information on integrated wireless security sensors, go to connectpella.com.
- **Best limited lifetime warranty⁴**
Pella Lifestyle Series products are covered by the best limited lifetime warranty in the industry for wood windows and patio doors.⁴
- **Testing beyond requirements**
At Pella, our products are tested beyond requirements to help ensure they have long-lasting performance and reduce call-backs for you.
- **Hidden Screen**
The revolutionary Hidden Screen appears when you open a double-hung window and folds away when it is closed. It provides a clear view when the window is closed and improves curb appeal year-round.

Product Specifications

Window & Patio Door Styles	Min. Width	Min. Height	Max. Width	Max. Height	Performance Class & Grade	Performance Values		
						U-Value	SHGC	ETC
Awning Double pane vent	21"	19"	80"	80"	LC90 - LC92	0.28 - 0.34	0.78 - 0.81	26-28
Awning Triple pane vent	21"	19"	80"	80"	R20 - CW90	0.21 - 0.28	0.78 - 0.81	31-32
Casement Double pane vent	19"	19"	36"	72"	LC90-LC92	0.28 - 0.34	0.78 - 0.82	26-31
Casement Triple pane vent	19"	19"	36"	72"	R20-CW90	0.20 - 0.26	0.77-0.80	31-32
Fixed Casement Double pane	19"	19"	72"	72"	LC90-LC93	0.23 - 0.36	0.50 - 0.57	29-32
Fixed Casement Triple pane	19"	19"	72"	72"	R20-CW90	0.18 - 0.27	0.55 - 0.65	33-37
Double Hung Double pane vent	21"	39"	68"	84"	LC90-LC93	0.28 - 0.34	0.20 - 0.48	27-31
Hinged Patio Door Double pane single door	60"	80"	96"	96"	LC93	0.28 - 0.32	0.78 - 0.80	31
Hinged Patio Door Triple pane single door	60"	80"	96"	96"	LC96	0.23 - 0.28	0.73 - 0.76	32-36
Hinged Patio Door Double pane double door	60"	80"	70"	96"	LC93	0.28 - 0.29	0.78 - 0.80	30-32
Hinged Patio Door Triple pane double door	60"	80"	70"	96"	LC96	0.22 - 0.26	0.73 - 0.76	33-36
Sliding Patio Door Double pane single door fixed (2)	31"	80"	69"	96"	C1603	0.24 - 0.33	0.58 - 0.61	27
Sliding Patio Door Triple pane single door fixed (2)	31"	80"	69"	96"	C1603	0.25 - 0.27	0.57-0.60	30-36
Sliding Patio Door Double pane double door vent (22 or 30)	60"	80"	96"	96"	R20-LC90	0.20 - 0.34	0.58 - 0.61	29-32
Sliding Patio Door Triple pane double door vent (22 or 30)	60"	80"	96"	96"	R20-LC90	0.22 - 0.29	0.58 - 0.61	30-36

Window sizes available in 1/2" increments.
Actual window sizes include frame and hardware. Performance values represent typical performance. For more information regarding frame and installation types, visit www.pella.com.

Window Hardware

Essential Collection

Select from popular designs and finishes to suit every style.



Finishes:



Patio Door Hardware

Essential Collection

Divert your style and transform a home with elegant selections.



Finishes:



Colors

Prefinished Pine Interior Colors

We can prefinish pine in your choice of several paint and stain colors. Unfinished or primed and ready-to-paint are also available.



Aluminum-Clad Exterior Colors


Our low-maintenance EnduraClad® exterior finish resists fading and helps protect windows and patio doors for years. Sensitive EnduraClad protective finish for coastal projects with high salt exposure is also available.



Integrated Blinds & Shades

Integrated Blinds®

Raise blinds up for an unobstructed view or tilt to let in just the right amount of light. Our best integrated and accessible blinds are available manual or motorized with Pella's InvisiView® technology.



Integrated Shades®

Our best integrated fabric shades feature a white exterior fabric for a uniform look from the street. Integrated and accessible shades are available manual or motorized with Pella's InvisiView® technology.



Haven't landed on the final blind or shade color selection? No problem. With our patented triple-pane design, you and your customer can make to use decisions later in the schedule. Our triple-pane products come with all of the hardware to add a blind or shade straight from the factory or at a later time in the building or remodeling process.

Screens®

Hidden Screen

The Hidden Screen® appears when you open a double-hung window and folds away when the window is closed. It allows 64% more natural light into your home when a window is closed than a standard screen.* Hidden Screen cartridge available in Black, White, Brown, Fossil and Iron Ore colors to match or complement the exterior cladding color choice.

Rollscreen®

Rollscreen soft-closing retractable screens roll out of sight when not in use. Available on casement and awning windows and sliding patio doors.

InView®

InView flat screens let in 94% more light and are 81% more open for improved airflow when compared to the conventional fiberglass screens.*

*Based on current Pella Division data.

Performance Packages

To make things easier, we've created performance packages.

Performance solutions offer an unbeatable combination of energy efficiency, sound control and value.¹ Create room-by-room solutions with the upgraded triple-pane glass design.

All values below are averages compared with single-pane windows.




Pella® Lifestyle Series offers products awarded ENERGY STAR® Most Efficient for 2023.²

Base	Performance 71% More Energy Efficient ^a + 34% Noise Reduction ^a	Sound Control 52% Noise Reduction ^a	Energy Efficiency 83% More Energy Efficient ^a	Ultimate Performance 79% More Energy Efficient ^a + 52% Noise Reduction ^a
 Advanced Low-E Two panes of insulating, energy-efficient glass and our most popular features and options.	 Advanced Low-E SunDefense Low-E or NaturalSun Low-E A triple-pane glass design for a combination of both improved energy efficiency and sound performance.	 Advanced Low-E, SunDefense Low-E or NaturalSun Low-E Sound-reduction glazing Triple-pane glass design featuring mixed glass thicknesses for enhanced sound dampening.	 AdvancedComfort A triple-pane glass design with upgraded AdvancedComfort Low-E glass for enhanced energy efficiency.	 AdvancedComfort Sound-reduction glazing A triple-pane glass design featuring mixed glass thicknesses with upgraded AdvancedComfort Low-E glass for enhanced energy efficiency.

Patented triple-pane glass design gives flexibility to add integrated blinds or shades without impacting performance.

Grilles

Choose the look of true divided light or make cleaning easier by selecting grilles-between-the-glass.



The Best Limited Lifetime Warranty in the Industry

We know your reputation matters and you stake your reputation on quality, dependable products. That's why we have the best limited lifetime warranty in the industry for wood windows and patio doors.⁴

Line #	Location:	Attributes	Qty
10	None Assigned	Lifestyle, Double Hung, 31 X 60, Without HGP, Black 1: Non-Standard SizeNon-Standard Size Double Hung, Equal Frame Size: 31 X 60 Unit Type: No Program General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Black Exterior Color / Finish: Standard Enduraclad, Black Interior Color / Finish: Unfinished Interior Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, 1 Lock, Matte Black, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor Screen: Full Screen, Black, InView™ Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, STC 27, QITC 23, Clear Opening Width 27.812, Clear Opening Height 26.75, Clear Opening Area 5.166465, Egress Meets Typical for ground floor 5.0 sqft (E1) (United States Only) Grille: No Grille Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 3 11/16", 5", Factory Applied, Pella Recommended Clearance, Perimeter Length = 162".	2



Viewed From Exterior


Rough Opening: 31 - 3/4" X 60 - 3/4"

Line #	Location:	Attributes		
15	None Assigned	Lifestyle, Double Hung, 43 X 60, Without HGP, Black		
		PK # 2163		Qty 1
	Viewed From Exterior	1: Non-Standard SizeNon-Standard Size Double Hung, Equal Frame Size: 43 X 60 Unit Type: No Program General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Black Exterior Color / Finish: Standard Enduraclad, Black Interior Color / Finish: Unfinished Interior Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, 2 Locks, Matte Black, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor Screen: Full Screen, Black, InView™ Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, STC 27, OITC 23, Clear Opening Width 39.812, Clear Opening Height 26.75, Clear Opening Area 7.395632, Egress Meets Typical 5.7 sqft (E) (United States Only) Grille: No Grille, Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 3 11/16", 5", Factory Applied, Pella Recommended Clearance, Perimeter Length = 206".		

Rough Opening: 43 - 3/4" X 60 - 3/4"

Line #	Location:	Attributes		
20	None Assigned	Lifestyle, Double Hung, 32 X 36, Without HGP, Black		
		PK # 2163		Item Price \$604.16
	Viewed From Exterior	1: Non-Standard SizeNon-Standard Size Double Hung, Equal Frame Size: 32 X 36 Unit Type: No Program General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Black Exterior Color / Finish: Standard Enduraclad, Black Interior Color / Finish: Unfinished Interior Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, 1 Lock, Matte Black, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor Screen: Full Screen, Black, InView™ Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, STC 27, OITC 23, Clear Opening Width 28.812, Clear Opening Height 14.75, Clear Opening Area 2.951229, Egress Does not meet typical United States egress, but may comply with local code requirements Grille: No Grille, Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 3 11/16", 5", Factory Applied, Pella Recommended Clearance, Perimeter Length = 136".	Qty 2	Ext'd Price \$1,208.32

Rough Opening: 32 - 3/4" X 36 - 3/4"

Line #	Location:	Attributes		
25	None Assigned	Lifestyle, 2-Wide Double Hung, 69 X 60, Without HGP, Black		
		PK # 2163		Qty 1
	Viewed From Exterior	1: Non-Standard SizeNon-Standard Size Double Hung, Equal Frame Size: 34 1/2 X 60 Unit Type: No Program General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Black Exterior Color / Finish: Standard Enduraclad, Black Interior Color / Finish: Unfinished Interior Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, 2 Locks, Matte Black, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor Screen: Full Screen, Black, InView™ Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, STC 27, OITC 23, Egress Meets Typical 5.7 sqft (E) (United States Only) Grille: No Grille, 2: Non-Standard SizeNon-Standard Size Double Hung, Equal Frame Size: 34 1/2 X 60 Unit Type: No Program General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Black Exterior Color / Finish: Standard Enduraclad, Black Interior Color / Finish: Unfinished Interior Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, 2 Locks, Matte Black, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor Screen: Full Screen, Black, InView™ Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, STC 27, OITC 23, Egress Meets Typical 5.7 sqft (E) (United States Only) Grille: No Grille, Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 3 11/16", 5", Factory Applied, Pella Recommended Clearance, Perimeter Length = 258".		

Rough Opening: 69 - 3/4" X 60 - 3/4"

Customer: BUILDERS FIRST SOURCE - 08017

Project Name: JASON SANCHEZ

Order Number: P74

Quote Number: 18013186

Line #	Location:	Attributes	Qty
30	None Assigned	Lifestyle, Direct Set, Fixed Frame, 48 X 24, Without HGP, Black	1


PK #
2163

Viewed From Exterior

1: 4824 Fixed Frame Direct Set
Frame Size: 48 X 24
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Interior Glazed, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.32, VLT 0.62, CPD PEL-N-18-04208-00001, Performance Class AW, PG 80, Calculated Positive DP Rating 80, Calculated Negative DP Rating 80, Year Rated 08/11, STC 27, OITC 22
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 3 11/16", 5", Factory Applied, Pella Recommended Clearance, Perimeter Length = 144".

Rough Opening: 48 - 3/4" X 24 - 3/4"

Line #	Location:	Attributes	Qty
35	None Assigned	Lifestyle, Double Hung, 40 X 60, Without HGP, Black	1

PK #
2163

Viewed From Exterior

1: Non-Standard SizeNon-Standard Size Double Hung, Equal
Frame Size: 40 X 60
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: **Black**
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Cam-Action Lock, 2 Locks, Matte Black, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor
Screen: Full Screen, Black, InView™
Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, STC 27, OITC 23, Clear Opening Width 36.812, Clear Opening Height 26.75, Clear Opening Area 6.83834, Egress Meets Typical 5.7 sqft (E) (United States Only)
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 3 11/16", 5", Factory Applied, Pella Recommended Clearance, Perimeter Length = 200".

Rough Opening: 40 - 3/4" X 60 - 3/4"


Customer: BUILDERS FIRST SOURCE - 08017

Project Name: JASON SANCHEZ

Order Number: P74

Quote Number: 18013186

Line #	Location:	Attributes	Qty
40	None Assigned	Lifestyle, Double Hung, 36 X 36, Without HGP, Black	1

PK #
2163

Viewed From Exterior

1: Non-Standard SizeNon-Standard Size Double Hung, Equal
Frame Size: 36 X 36
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: **Black**
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Cam-Action Lock, 2 Locks, Matte Black, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor
Screen: Full Screen, Black, InView™
Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, STC 27, OITC 23, Clear Opening Width 32.812, Clear Opening Height 14.75, Clear Opening Area 3.360951, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 3 11/16", 5", Factory Applied, Pella Recommended Clearance, Perimeter Length = 144".

Rough Opening: 36 - 3/4" X 36 - 3/4"

Line #	Location:	Attributes	Qty
45	None Assigned	Lifestyle, Double Hung, 24 X 60, Without HGP, Black	1

PK #
2163


Viewed From Exterior

1: Non-Standard SizeNon-Standard Size Double Hung, Equal
Frame Size: 24 X 60
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: **Black**
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Cam-Action Lock, 1 Lock, Matte Black, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor
Screen: Full Screen, Black, InView™
Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, STC 27, OITC 23, Clear Opening Width 20.812, Clear Opening Height 26.75, Clear Opening Area 3.866118, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 3 11/16", 5", Factory Applied, Pella Recommended Clearance, Perimeter Length = 168".

Rough Opening: 24 - 3/4" X 60 - 3/4"

Line #	Location:	Attributes	
50	None Assigned	Lifestyle, Double Hung, 40 X 60, Without HGP, Black	Qty 1
	 Viewed From Exterior	PK # 2163	1: Non-Standard Size Non-Standard Size Double Hung, Equal Frame Size: 40 X 60 Unit Type: No Program General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Black Exterior Color / Finish: Standard Enduraclad, Black Interior Color / Finish: Unfinished Interior Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, 2 Locks, Matte Black, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor Screen: Full Screen, Black, InView™ Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, STC 27, OITC 23, Clear Opening Width 36.812, Clear Opening Height 26.75, Clear Opening Area 6.83834, Egress Meets Typical 5.7 sqft (E) (United States Only) Opening Height 26.75, Clear Opening Area 6.83834, Egress Meets Typical 5.7 sqft (E) (United States Only) Grille: No Grille, Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 3 11/16", 5", Factory Applied, Pella Recommended Clearance, Perimeter Length = 200".

Rough Opening: 40 - 3/4" X 60 - 3/4"

Line #	Location:	Attributes	
55	None Assigned	Lifestyle, Double Hung, 36 X 60, Without HGP, Black	Qty 2
	 Viewed From Exterior	PK # 2163	1: Non-Standard Size Non-Standard Size Double Hung, Equal Frame Size: 36 X 60 Unit Type: No Program General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Black Exterior Color / Finish: Standard Enduraclad, Black Interior Color / Finish: Unfinished Interior Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, 2 Locks, Matte Black, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor Screen: Full Screen, Black, InView™ Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, STC 27, OITC 23, Clear Opening Width 32.812, Clear Opening Height 26.75, Clear Opening Area 6.095285, Egress Meets Typical 5.7 sqft (E) (United States Only) Opening Height 26.75, Clear Opening Area 6.095285, Egress Meets Typical 5.7 sqft (E) (United States Only) Grille: No Grille, Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 3 11/16", 5", Factory Applied, Pella Recommended Clearance, Perimeter Length = 192".

Rough Opening: 36 - 3/4" X 60 - 3/4"

Propose to replace siding with Hardi Fiber Cement









Hardie® Plank Smooth Fiber Cement Lap Siding has no woodgrain finish making it ideal for exteriors where a modern look is desired. ASTM E136 noncombustible cladding will not attract pests including termites and woodpeckers. HZ10® engineering means it is made to withstand high heat, humidity, moisture, hail, tropical storms and hurricane winds. Board is factory primed using a primer with a slight yellow hue. To finish, apply an acrylic, water-based exterior house paint to the primed board within 180 days of installation.

- Use Hardie® Fiber Cement Siding to design or remodel a home's exterior
- Hardie® Plank fiber cement siding is Engineered for Climate® allowing boards to hold up to harsh weather conditions where it is installed
- Use a 2-1/2 in siding gun or siding nailer to attach to wood, steel or masonry substrates
- Smooth, sleek siding board has no woodgrain appearance
- 5/16 in x 8.25 in x 12 ft smooth lap board installs horizontally and resists pests that can damage wood siding
- Cut outdoors using a circular saw with a fiber cement saw blade and a vacuum dust collection system

- Fiber cement siding up to 7/16 in may also be cut outdoors using an electric fiber cement cutting shear
- Board resists damage from sun, heat, humidity and strong hurricane force winds to stay strong and intact
- 30-year limited non-prorated, transferable, warranty

Propose to paint the front of the house with a color that is the same or similar to the color of the brick, since there are a lot of areas in front of the house is already painted. We tried to remove the paint but the brick get damaged further because how porous the brick is.

