

Planning Commission Minutes
January 25, 2024

(The agenda was filed with the City Clerk of The City of Oklahoma City at 8:14 a.m. on January 22, 2024)

6. (PC-10917) Application by Redcliff Development, L.P., to rezone 5600 South Mustang Road from PUD-265 Planned Unit Development District to C-3 Community Commercial District. Ward 3.

The applicant was present. There were no protestors present.

RECOMMENDED APPROVAL AS AMENDED TO THE C-1 DISTRICT.

MOVED BY MEEK, SECONDED BY PRIVETT

AYES: CLAIR, POWERS, MEEK, PRIVETT, NEWMAN, GOVIN, PENNINGTON,
NOBLE, LAFORGE



STAFF REPORT
The City of Oklahoma City
Planning Commission
January 25, 2024

Item No. IV. 6.

(PC-10917) Application by Redcliff Development, L.P., to rezone 5600 South Mustang Road from PUD-265 Planned Unit Development District to C-3 Community Commercial District. Ward 3.

I. GENERAL INFORMATION

A. Contacts

Applicant's Representative

Jessica Murphy
Crafton Tull & Associates, Inc.
(405) 787-6270
Jessica.murphy@craftontull.com

B. Case History

This is a new application.

C. Reason for Request

The purpose of this request is to allow commercial use and development.

D. Existing Conditions

1. Size of Site (2.78 Acres)

2. Zoning and Land Use

	Subject Site	North	East	South	West
Zoning	PUD-265	AA	PUD-265	PUD-265	R-1
Land Use	Undeveloped	Residential	Undeveloped	Undeveloped	Residential

3. Comprehensive Plan Land Use Typology Area: Urban – Low Intensity (UL)

UL applies to the least intensively developed areas of the city that still receive urban water, sewer, police, park and fire services. Development in this area should provide horizontal integration of land uses, connectivity within and between individual developments, and design that facilitates pedestrian and bicycle transportation.

II. REVIEW COMMENTS

This application was submitted to the following agencies, departments, and/or divisions for review and comment. An asterisk * indicates that the agency, department, and/or division responded with no adverse comments.

A. Outside Agencies

- 1. Oklahoma City-County Health Department (OCCHD)**
- 2. Oklahoma City Urban Renewal Authority (OCURA)**
- 3. Oklahoma Gas and Electric (OGE)**
- 4. Oklahoma Water Resources Board (OWRB)**
- 5. School District (Mustang)**
- 6. Oklahoma Department of Transportation (ODOT)**
- 7. Oklahoma Natural Gas (ONG)**
- 8. Oklahoma Electric Cooperative (OEC)**

B. City Departments

- 1. Airports**
- 2. Central Oklahoma Transportation and Parking Authority (COTPA)**
- 3. Fire (OCFD)**
- 4. Information Technology/Geographic Support (IT/GIS)**
- 5. Parks and Recreation**
- 6. Police (OCPD)**
- 7. Public Works**
 - a. Engineering**

Storm Sewer Availability

- 1) The Public Works Drainage Division staff has reviewed the subject application. All development, new construction, and/or substantial improvements planned within the proposed area shall be subject to chapter 16 of the Oklahoma City Municipal Code.
- 2) Storm sewers in accordance with the City's Drainage Ordinance will be required. Development abutting section line roads with drainage flows that exceed the capacity of OKC standard ditch detail (D-100) will necessitate the installation of enclosed storm sewer and/or concrete channel. These improvements shall be placed to provide a minimum of 35' clearance distance from the centerline of the section. Concrete channels must be entirely outside public right-of-way.
- 3) A flood and/or drainage study will be required to establish finished floor elevations, common lot areas or private drainage easements. A final plat should not be submitted until the study has been reviewed and approved by the Public Works Department.
- 4) Flood Study will be required to show no rise in FEMA Q 100 and the City of Oklahoma City Q 100 water surface elevation, compared pre-and post-development.
- 5) A portion of subject property is situated within a F.E.M.A. Flood Plain. Therefore, the establishment of Minimum Finish Floor Elevation for each lot within the flood plain will be required (100-year) frequency plus 1'. The Public Works Department Engineering staff shall approve these elevations prior to the filing of the final plat.
- 6) A floodplain activity permit must be submitted for any work contemplated in The Waters of the United States.
- 7) Plans for drainage improvements within the private drainage reserves and/or common areas must be submitted for review, and payment of inspection fees shall be made prior to construction. Building permits will not be issued until construction is complete. If a subdivision abuts a stream, the private drainage easements and/or common area along stream shall extend to flow line of stream at a minimum.
- 8) Place the following note on the plat and construction plans: Maintenance of the Common Areas and/or Private Drainage Easements shall be the responsibility of the property owner. No structures, storage of material, grading, fill or other obstructions, including fences, either temporary or

permanent shall be placed within the common areas and/or drainage easements shown.

- 9) Drainage easements shall be clearly denoted as public or private in owner's dedication, on the plat, and/or in the plat notes.
- 10) Construction within the limits of this PC will require an erosion control plan in accordance with EPA Storm Water Discharge permitting: CFR Vol. 57, No. 175, September 9, 1992. A copy of the EPA Notice of Intent (NOI) will be required prior to the issuance of work orders or permits for construction activities disturbing an area of 1/2 acre or greater.
- 11) Sidewalks shall be installed for all new construction and/or at the time of a residential use to a more intense use on all lots having frontage on public streets classified as a major or minor arterial.
- 12) All private roads /streets will have private storm sewer systems.
- 13) Engineer/developers will be contacting PW for detention determination before they submit their final plat and plans.

8. Streets, Traffic and Drainage Maintenance

9. Stormwater Quality Management

10. Traffic Management *

11. Utilities

a. Wastewater Comments

1. An existing 8" wastewater main(s) is located adjacent to the subject site(s).
2. The developer will be required to extend the City wastewater collection system to and across each lot or site within the subdivision in accordance with the City Standard Specifications and Private Development Design Manual.
3. Minimum ten (10) feet horizontal separation is required from water mains and five (5) feet for other utilities. Minimum two (2) feet vertical separation required for all crossings. All wastewater mains must have a minimum cover of four (4) feet and depth no greater than eighteen (18) feet. Developer is responsible for remediating any failure to maintain the minimum four (4) feet of cover.

4. Wastewater main(s) must be centrally located in a twenty (20) feet wide easement or larger if necessary. No trees, signs, dumpster, fence, and/or structures shall be permitted over any proposed or existing utility main. An approved revocable permit must be obtained to have any private improvement located within any utility easement and/or right-of-way.
5. All existing unused private wastewater service connections must be abandoned and capped at the main in accordance with City Standard Specifications and Private Development Design Manual.

b. Water Comments

1. An existing 12" water main(s) is located adjacent to the subject site(s).
2. A 12-inch water main is required to be looped through the development to provide adequate water supply and fire flow protection. Connection to two (2) separate active water mains is required to prevent partial or total shut-off of water supply when a pipeline failure occurs.
3. Minimum ten (10) feet horizontal separation required from wastewater mains and five (5) feet for other utilities. Minimum two (2) foot vertical separation required for all utility crossings. All water mains must have a minimum cover of five (5) feet along section line roads and four (4) feet elsewhere.
4. Proposed and/or existing water mains must be located centrally within a twenty (20) feet wide or larger utility easement or right-of-way. No trees, signs, dumpster, fence, and/or structures shall be permitted over any proposed or existing utility main. An approved revocable permit must be obtained to have any private improvement located within any utility easement and/or right-of-way.
5. Dead-end water mains must be avoided when possible. All existing unused water services must be capped and abandoned at the water main in accordance with the City Standard Specifications.
6. In accordance with ODEQ regulations, the City provides water at a minimum pressure of 25 psi. The developer is responsible for designing and construction of all fixtures to provide adequate domestic and fire protection under minimum pressure conditions. The developer will be responsible for any failure of domestic or fire protection systems which require water pressure in excess of 25 psi. The developer is responsible for installing pressure reducers

if necessary for protection of developer's service lines, plumbing, and fixtures.

7. All existing and/or proposed water meters must be located in the right-of-way and/or utility easement within grassy areas outside of sidewalks, driveways, streets, and paving.
8. All domestic and fire suppression services must have a separate water service connection. Fire hydrant spacing shall not exceed 500 feet and must be located within ten (10) of a hard surface (i.e. sidewalk, street, paving).
9. Supply capacity for development is not guaranteed and will be reviewed at time of review of construction documents.

c. Solid Waste Management

12. Planning

a. Comprehensive Plan Considerations

1) LUTA Development Policies:

Site Design:

- Avoid developing within or modification of 100-year floodplains or floodways.
- Where possible, provide a continuous system of open space along stream corridors or other appropriate areas that link neighborhoods and park lands.
- Utilize Best Management Practices (BMP) for stormwater whenever possible.
- Developments should be served by urban water and sewer utility systems.

Floodway and 100-year floodplain are present on the subject site. The development is required to comply with all City, State, and Federal requirements within the floodplain. Public water and sewer are available just south of the subject site.

Location:

- Locate uses that generate high traffic volumes along arterial streets, frontage roads, and interstates.

The subject site is located along S Mustang Road, an arterial street.

Density: The Urban Low Intensity LUTA outlines a floor to area ratio (FAR) of 0.2 to 1.0 for non-residential developments. *The C-3 District regulations could provide a FAR within the UL LUTA.*

Automobile Connectivity:

- Maintain, create, and enhance a street network that is highly connected to increase number of viable commercial locations and the effectiveness of the transportation system.
- Limit number of dead-end streets and cul-de-sacs.
- Limit curb cuts on arterial streets, and where possible concentrate access at shared entrance points.
- Development fronting arterials should take access from intersecting streets where possible.
- Primary entrance points should be aligned with access points immediately across the street.
- Retail developments should provide an internal vehicle and pedestrian circulation system between new and existing centers and individual stores.
- Provide vehicular connectivity between adjacent developments.
- Horizontally mixed-use developments should have connectivity between land uses.

The subject site is located along the east side of S Mustang Road, an arterial street. The site has no improved access. The existing PUD allows multi-family residential. It was unknown at the time of review how access to the site would be configured if the site is rezoned. New access would be per Code requirements.

Pedestrian Connectivity:

- Provide sidewalk connections to adjacent development.
- Within parking lots, provide pedestrian access ways separated from vehicle aisles.
- Horizontally mixed-use developments should have public sidewalk connectivity between land uses.

Sidewalks are not currently available on the subject site but would be required along an arterial street if new development were to occur.

- 2) **Compatibility:** The comprehensive plan includes a land use compatibility matrix used to identify potential conflicts between major land use categories. When locating the proposed uses adjacent to existing agricultural or residential uses or zoning, “Building Scale and Site Design”, “Traffic”, and “Operational Impact” are potential compatibility issues identified by the comprehensive plan.

Building Scale and Site Design: The comprehensive plan calls for mitigation measures for new projects if the setbacks are significantly deeper or more shallow than the predominant character of adjacent development; the building’s orientation to the street differs from the predominant character of adjacent development; building size or street

frontage dramatically differs from that of adjacent uses, the lot coverage (including buildings and paved areas) dramatically exceeds that of adjacent uses, or if buildings within 40 ft. of a single-family residential structure exceed a 3:1 ratio in height. *The existing regulations of Tract C in PUD-265 allow multi-family residential with an R-4M base and varying lot sizes based on housing product type. Apartments have been built on the eastern portion of the tract. The application is associated with a final plat application for Wild Horse Ranch III (C-7600) which includes the subject site and land to the east and southeast for three office/commercial tracts and a large portion of common area. A large portion of the common area tract is located between the constructed apartments and the subject site and is primarily 100- and 500-year floodplain. New development would be subject to step down in height, screening, and a landscape buffer adjacent to residential uses on the north. Mitigation measures beyond Code requirements cannot be stipulated in a base zoning request.*

Traffic: Mitigation measures should be used if the development is inconsistent with the Street Typology, or would substantially exceed the average daily traffic of existing, adjacent uses. *The subject site is located along the east side of S Mustang Road, a major arterial street. No triggers requiring mitigation were identified.*

Operational Impact: The comprehensive plan calls for mitigation measures if new projects propose uses that generate noise levels above those found in typical residential settings, have detectable odors, spill light above that found in typical residential settings, or operate after 10 p.m. within proximity to residential uses. When located near residential uses, the comprehensive plan calls for containing operating effects (including noise and odor) within building walls, using vertical screening to block any mechanical equipment and service areas, and directing light away from adjacent residential areas. *The proposed C-3 District allows uses that could have operational impacts next to residential uses, including gas stations, drive-thru restaurants, and auto sales and repair uses. The proposed C-3 District also allows taller, larger signs than the existing zoning. Code will require increased setbacks, screening, and a landscape buffer along the north boundary of the property adjacent to the AA District and to the east where the current multi-family residential would remain in place. The existing floodplain provides a natural buffer to the east. Mitigation measures beyond Code requirements cannot be stipulated in a base zoning request.*

- 3) Service Efficiency:**
- Water: *Served*
 - Sewer: *Fully Served*
 - Fire Service: *Urban Service Level*

- 4) **Environmentally Sensitive Areas:** The following apply to the proposed development site:
- Riparian Areas: Riparian areas are vegetated areas adjacent to streams, lakes, ponds, and wetlands that are composed of a mixture of trees, shrubs, and grasses. These areas may also contain floodplain. The comprehensive plan recommends a 100-foot buffer from stream banks. *Riparian area is present in the northeastern portion of the subject site. 100- and 500-year floodplain are present. The accompanying plat of Wild Horse Ranch III preserves most of the nearby floodplain within a tract dedicated to common area. The development is required to comply with all City, State, and Federal requirements within the floodplain. Plan conformance would be strengthened by maintaining separation between development and the floodplain; however, this cannot be stipulated in a base zoning request.*
 - Upland Forests: N/A
 - Vulnerable Aquifers: N/A
- 5) **Transportation System:** This site is located along the east side of S Mustang Road, a Major Arterial Street in the Urban Low LUTA. Transit (bus) service is not available.
- 6) **Other Development Related Policies**
- Favor commercial development clustered in nodes at arterial or collector intersections or along brief “main street” style corridors over commercial development extending in a linear pattern for long distances along highway, arterial, or collector corridors. (SU-25)
 - Regional-, community-, and neighborhood-scale retail developments should provide an internal vehicle and pedestrian circulation system between new and existing centers and individual stores that draws on the following principles:
 - Concentrate access for new retail development at shared primary entrance points. Primary entrance points should be aligned with access points immediately across intersecting roads. Limit curb cuts on primary highways and arterials.
 - Provide pedestrian circulation, including sidewalks and median breaks along interior and exterior fronting roads and within parking lots.
 - Encourage coordinated development of retail centers in order to facilitate internal pedestrian and vehicle circulation and optimal center performance (SU-27)
 - Commercial buildings should be built at the street rather than behind a parking lot in order to promote pedestrian circulation, multipurpose shopping trips, and walkable and attractive streetscapes. (SU-28)

- New neighborhood-scale retail should be located within new residential growth areas to serve daily shopping needs and limit trip distances. In newly developing areas, this retail format is preferred to the existing linear development patterns along arterials. (SU-30)
- Neighborhood-scale retail should be developed at the median breaks or intersections of major or minor connectors. (SU-31)
- Require sidewalks on both sides of all streets in urban LUTAs. (C-7)
- Improve the functionality and efficiency of the street network by:
 - Providing direct connections from residential developments to nearby places and to each other.
 - Providing street and sidewalk stubs to adjacent vacant land in anticipation of future development.
 - Connecting new development to existing street and sidewalk stubs, and to existing trail, open space, and bicycle networks.
 - Reducing block sizes and use of dead-end streets.
 - Maintaining the existing street grid to preserve connectivity and mobility options. (C-11)
- Limit driveways on arterials and collectors and increase connections between uses to improve safety and traffic efficiency. (C-30)
- Share parking between contiguous developments. (C-31)
- Initiate new efforts to reduce sign clutter and improve the aesthetics of signs, while allowing for adequate and visible business identification (E-14)
- Encourage unified planning for all adjoining land owned or controlled by a project's developer to ensure proper circulation and land use relationships (SU-47)

b. Plan Conformance Considerations

The subject site is located along the east side of S Mustang Road, between SW 44th Street and SW 59th Street. The site is undeveloped and zoned as part of Tract C of PUD-265 (1986) which allows multi-family residential with an R-4M base and varying lot sizes based on housing product type. Apartments have been built on the eastern portion of the tract. The application is associated with a final plat application for Wild Horse Ranch III (C-7600) which includes the subject site and land to the east and southeast for three office/commercial tracts and a large portion of common area. A large portion of the common area tract is located between the constructed apartments and the subject site and is primarily 100- and 500-year floodplain. The existing PUD-265 spans both sides of S Mustang Road, with tracts A and B to the west being rezoned to R-1 and developed as residential, and Tract D to the south at both corners of the intersection undeveloped but allowing commercial development. North of the subject site is a single-family

residence zoned AA. Land on the south side of S Mustang Road is within Mustang City limits.

The proposal would extend commercial uses north along S Mustang Road. The proposed C-3 District triggers potential compatibility issues when adjacent to residential development, specifically operational impacts from uses such as gas stations, drive-thru restaurants, auto sales, and auto repair uses. The proposed C-3 District also allows taller, larger pole signs and electronic messaging display (EMD) signs that are not allowed by the existing PUD. New development under the C-3 District would be subject to a step-down in height, screening, and a landscape buffer adjacent to residential districts. It was unknown at the time of review what the developed use would be, but the C-1 District may be more appropriate near residential uses as it does not allow uses such as large gas stations and drive-through restaurants.

IV. STAFF RECOMMENDATION


Staff recommendations are advisory only and do not constitute Planning Commission decisions. Staff recommendations are based on a technical evaluation of information submitted at the time of review. Determination of conformance with policies contained in the comprehensive plan is the purview of the Planning Commission. Planning Commission decisions require a vote of five members to approve or deny an item. The Planning Commission may consider in its decision-making process any additional relevant information presented at the public hearing by the public, applicant, and/or City departments.

Amend the application to the C-1 District and approve the application; or

Approval of the application.

taj

Case No: PC-10917 Applicant: Redcliff Development, L.P.
Existing Zoning: PUD-265
Proposed zoning: C-1 Location: 5600 S. Mustang Rd.







The City of
OKLAHOMA CITY

Rezoning Application




0 200 400
Feet



PROJECT NO.: 22611600		CERTIFICATE OF AUTHORIZATION: CA 973 (PE/LS) EXPIRES 6/30/2024  Crafton Tull architecture engineering surveying 405.787.6270 t 405.787.6276 f www.craftontull.com	300 Pointe Parkway Blvd. Yukon, Oklahoma 73099
DRAWN BY: RFK	DATE: 12/19/2023		
SHEET: 1 OF 3	CHECKED:		
© 2023 Crafton, Tull & Associates, Inc.			

Case No: PC-10917 Applicant: Redcliff Development, L.P.
Existing Zoning: PUD-265
Proposed zoning: C-1 Location: 5600 S. Mustang Rd.



Aerial Photo from 2/2022



The City of
OKLAHOMA CITY

Rezoning Application



0 200 400
Feet