

Planning Commission Minutes

October 13, 2022

(The agenda was filed with the City Clerk of The City of Oklahoma City at 9:38 a.m. on October 10, 2022.)

15. (SPUD-1455) Application by Midwest City -Del City Public Schools, to rezone 5301 Dimple Drive from the R-1 Single Family Residential District to the SPUD-1455 Simplified Planned Unit Development District. Ward 4.

Applicant was present. There were no protestors present.

RECOMMENDED APPROVAL.

MOVED BY Privett, SECONDED BY Powers

AYES: Clair, Powers, Fraley, Privett, Hinkle, Govin, Pennington,
Noble

ABSENT: LaForge



(SPUD-1455) Application by Midwest City -Del City Public Schools, to rezone 5301 Dimple Drive from the R-1 Single Family Residential District to the SPUD-1455 Simplified Planned Unit Development District. Ward 4.

I. GENERAL INFORMATION

A. Contacts

1. Applicant/Developer Representative

Name John Pettis
 Company Community Health Centers of Oklahoma
 Phone 405-924-9495
 Email Jpettis@communityhealthok.org

B. Case History

This is a new application.

C. Reason for Request

This application is to permit community health center.

D. Existing Conditions

1. Comprehensive Plan Land Use Typology Area: Urban – Low Intensity (UL)

UL applies to the least intensively developed areas of the city that still receive urban water, sewer, police, park and fire services. Development in this area should provide horizontal integration of land uses, connectivity within and between individual developments, and design that facilitates pedestrian and bicycle transportation.

2. Size of Site: 11.29 acres

3. Zoning and Land Use

	Subject Site	North	East	South	West
Zoning	R-1	R-1	R-4	R-1	R-1
Land Use	School	Residential	Apartments	Residential	Residential

4. Development Context: The subject site is the Highland Park Elementary School located along the west side of S Dimple Drive, in an area generally located north of SE 59th Street and west of S Sunnyslane Road. The site is zoned R-1 and developed with school buildings, parking lots, a playground, and athletic facilities.

Land adjacent on the north, south, and west is zoned R-1 and developed with homes that back up to the site. Across the street to the east are apartment buildings zoned R-4. The SPUD is requested to convert the existing site into a community health center under the O-2 District.

II. SUMMARY OF PUD APPLICATION

- 1. This site will be developed in accordance with the regulation of the O-2 General Office District (OKC Zoning Ordinance, 2020, as amended), except that the following restrictions will apply:**

The following use(s) will be the only use(s) permitted on this site:

Low Impact Institutional: Neighborhood Related (8250.14)
Administration and Professional Office (8300.1)
Moderate Impact Institutional (8250.15)
Child Care Center (8300.25)
Medical Services: General (8300.52)
Medical Services: Restricted (8300.53)
Library Services and Community Centers (8250.11)

- 2. Maximum Building Height:**

The base zoning district will regulate the building height requirements in this SPUD.

- 3. Maximum Building Size:**

The base zoning district shall regulate the size of buildings in the SPUD.

- 4. Maximum Number of Buildings:**

The base zoning district will determine the number of buildings in this SPUD.

- 5. Building Setback Lines:**

The base zoning district shall regulate the setback requirements in this SPUD.

- 6. Sight-proof Screening:**

Sight-proof screening shall not be required.

- 7. Landscaping:**

The SPUD will meet all landscaping requirements in place at the time of development.

- 8. Signs:**

- 8.1 Free standing accessory signs:** One monument sign not to exceed 8 feet in height and 100 square feet in display area.

8.2 Attached signs: Attached signs will be in accordance with the base zoning district regulations.

8.3 Non-Accessory Signs: Non-accessory signs shall not be permitted in this SPUD.

8.4 Electronic Message Display signs: EMD signs shall not be permitted in This SPUD.

9. Access: All access shall be from Dimple Drive.

II. Other Development Regulations:

1. Architecture: The base zoning district shall regulate the architectural requirements in this SPUD.

2. Open Space: Per base zoning district regulations.

3. Street Improvements: No street improvements are required

4. Site Lighting: The site lighting in this PUD shall be in accordance with Chapter 59, Article XII, Section 59-12350 of the Oklahoma City Municipal Code, 2020, as amended.

5. Dumpsters: Dumpsters shall be consolidated and located within an area screened by a fence or masonry wall of sufficient height that screens the dumpster from public streets and residences and shall be placed no closer than 50 feet from all property lines adjacent to residential zoning/use.

6. Parking: Parking as exists at the time of approval of this SPUD shall be deemed to meet the parking requirements for all uses in the SPUD.

7. Maintenance: Maintenance of all common areas in the development and maintenance of all amenities located within the common areas shall be the responsibility of the owner(s) of said property. No structures, storage of material, grading, fill, or other obstructions, including fences, either temporary or permanent, that shall cause a blockage of flow or an adverse effect on the functioning of the storm water facility, shall be placed within the common areas intended for the use of conveyance of storm water, and/or drainage easements shown.

8. Drainage: Development of this parcel will comply with Chapter 16 of the Oklahoma City Municipal Code, 2020, as amended.

III. Supporting Documents

Exhibit A: Legal Description
Exhibit B: Site Plan

III. REVIEW COMMENTS

This application was submitted to the following agencies, departments, and/or divisions for review and comment. An asterisk indicates that the agency, department, and/or division responded with no adverse comments.

A. Outside Agencies

- 1. Oklahoma City-County Health Department**
- 2. Oklahoma City Urban Renewal Authority (OCURA)**
- 3. Oklahoma Gas and Electric (OGE)**
- 4. Oklahoma Natural Gas:** Please be advised ONG has an underground or aboveground facility in the area. If you need our facilities relocated to accommodate your excavation or construction, ONG will provide you a cost estimate. Prior to excavation, please contact OKIE-ONE 1-800-522-6543 a minimum of 48 hours prior for exact location of our facilities.
- 5. Oklahoma Water Resources Board (OWRB)**
- 6. School District(s) Mid-Del**
- 7. Oklahoma Department of Transportation (ODOT)**

B. City Departments

- 1. Airports**
- 2. Central Oklahoma Transportation and Parking Authority (COTPA)**
- 3. Fire***
- 4. Information Technology/Geographic Support**
- 5. Parks and Recreation**
- 6. Police**

7. Public Works

a. Engineering

b. Streets, Traffic and Drainage Maintenance

Storm Sewer Availability

- 1) The Public Works Drainage Division staff has reviewed the subject application. All development, new construction, and/or substantial improvements planned within the proposed area shall be subject to chapter 16 of the Oklahoma City Municipal Code.
- 2) Storm sewers in accordance with the City's Drainage Ordinance will be required. Development abutting section line roads with drainage flows that exceed the capacity of OKC standard ditch detail (D-100) will necessitate the installation of enclosed storm sewer and/or concrete channel. These improvements shall be placed to provide a minimum of 35' clearance distance from the centerline of the section. Concrete channels must be entirely outside public right-of-way.
- 3) A flood and/or drainage study will be required to establish finished floor elevations, common lot areas or private drainage easements. A final plat should not be submitted until the study has been reviewed and approved by the Public Works Department.
- 4) Plans for drainage improvements within the private drainage reserves and/or common areas must be submitted for review, and payment of inspection fees shall be made prior to construction. Building permits will not be issued until construction is complete. If a subdivision abuts a stream, the private drainage easements and/or common area along stream shall extend to flow line of stream at a minimum.
- 5) Place the following note on the plat and construction plans: Maintenance of the Common Areas and/or Private Drainage Easements shall be the responsibility of the property owner. No structures, storage of material, grading, fill or other obstructions, including fences, either temporary or permanent shall be placed within the common areas and/or drainage easements shown.
- 6) Drainage easements shall be clearly denoted as public or private in owner's dedication, on the plat, and/or in the plat notes.

- 7) Construction within the limits of this SPUD will require an erosion control plan in accordance with EPA Storm Water Discharge permitting: CFR Vol. 57, No. 175, September 9, 1992. A copy of the EPA Notice of Intent (NOI) will be required prior to the issuance of work orders or permits for construction activities disturbing an area of 1/2 acre or greater.
- 8) Sidewalk shall be installed for all new construction and/or at the time of a residential use to a more intense use on all lots having frontage on public streets classified as a major or minor arterial.
- 9) All private roads /streets will have private storm sewer systems.
- 10) Engineer/developers will be contacting PW for detention determination before they submit their final plat and plans.
- 11) Modify Section II.8. Drainage:
All drainage design for this development shall be in accordance with the applicable requirements of chapter 16 of the Oklahoma City Municipal Code that are in effect at the time the plans are submitted for review.

c. Stormwater Quality Management

d. Traffic Management*

8. Utilities

a. Engineering

Paving

Wastewater Availability

- 1) An existing 8” wastewater main(s) is adjacent to the subject site(s) and a service connection will be permitted in accordance with City Standard Specifications. A separate service connection is required for each building/structure.
- 2) All wastewater mains must flow within the existing drainage basin. Proposed wastewater mains that will flow to another drainage basin across a ridgeline will not be allowed.

- 3) The developer will be required to extend the wastewater collection system to each lot or site within the subdivision or land improvements in accordance with City Standard Specifications and the current Subdivision Regulations.
- 4) Proposed wastewater main(s) must be located in a twenty (20) foot wide easement. No trees, signs, dumpster, fences, and/or structures shall be permitted within any proposed or existing utility easement.
- 5) System will be considered private.

b. Solid Waste Management

- 1) The City cannot provide service, contact private hauler.

c. Water/Wastewater Quality

Water Availability

- 1) An existing 8" water main(s) is adjacent to the subject site(s) and a service connection will be permitted in accordance with City Standard Specifications. A separate service connection and meter is required for each building/structure.
- 2) Minimum ten (10) foot horizontal separation required for wastewater mains and five (5) foot for other mains. Minimum two (2) foot vertical separation required for all crossings. All water mains must have a minimum cover of five (5) feet along section line roads and four (4) feet elsewhere.
- 3) Dead-end water mains must be avoided where applicable. All existing unnecessary water services must be abandoned at the water main.
- 4) In accordance with ODEQ regulations, the City provides water at a minimum pressure of 25 psi. The developer is responsible for designing and construction of all fixtures to provide adequate domestic and fire protection under minimum pressure conditions. The developer will be responsible for any failure of domestic and fire protection systems which require water pressure in excess of 25 psi.
- 5) Proposed water main(s) must be located within a utility easement or right-of-way. No trees, signs, dumpster, fences, and/or structures shall be permitted within any proposed or existing utility easement.

- 6) All existing and proposed meters must meet current specifications and standard details and be located in the right-of-way or utility easement within grassy areas outside of sidewalks, driveways, streets and/or paving.
- 7) All domestic and fire suppression services must have separate water service connections. Fire hydrants maximum spacing is 500 foot and must be located within 10 feet of a hard surface (i.e. sidewalk, street, and/or paving).
- 8) System will be mastered metered and considered private.

9. Planning

a. Comprehensive Plan Considerations

1) LUTA Development Policies:

Site Design:

- Utilize Best Management Practices (BMP) for stormwater whenever possible.
- Developments should be served by urban water and sewer utility systems.

Location:

- Mixture of density, lot size and building scale is appropriate as long as land use compatibility is achieved.
- Density: The Urban Low Intensity LUTA outlines a floor to area ratio (FAR) of 0.2 to 1.0 for non-residential developments. The FAR of the existing development is approximately 0.14.

The site is already developed and is proposed to change from an elementary school to a community health center. National, state, and local permitting require basic best management practices for stormwater management. Public water and sewer are available.

Automobile Connectivity:

- Maintain, create, and enhance a street network that is highly connected to increase number of viable commercial locations and the effectiveness of the transportation system.
- Primary entrance points should be aligned with access points immediately across the street.

Access to the site exists and will be retained.

Pedestrian Connectivity:

- Provide sidewalk connections to adjacent development.
- Within parking lots, provide pedestrian access ways separated from vehicle aisles.

Sidewalks have been recently added in the area but do not extend along Dimple Drive in front of the parking lot. Pedestrian connections are available from the edges of the site and the parking areas to the building.

- 2) **Compatibility:** The comprehensive plan includes a land use compatibility matrix used to identify potential conflicts between major land use categories. When locating the proposed office uses adjacent to existing low intensity residential, “Building Scale and Site Design” and “Traffic” are potential compatibility issues identified by the comprehensive plan.

Building Scale and Site Design: The comprehensive plan calls for mitigation measures for new projects if setbacks are significantly deeper or more shallow than the predominant character of adjacent development; the building’s orientation to the street differs from the predominant character of adjacent development; building size or street frontage dramatically differs from that of adjacent uses, the lot coverage (including buildings and paved areas) dramatically exceeds that of adjacent uses, or if buildings within 40 ft. of a single-family residential structure exceed a 3:1 ratio in height. *The proposed development will use the existing building. No triggers requiring mitigation were identified.*

Traffic: Mitigation measures should be used if the development is inconsistent with the Street Typology or would substantially exceed the average daily traffic of existing, adjacent uses. *It is unknown what, if any, traffic impacts the proposal will have on the surrounding area compared to a school.*

- 3) **Service Efficiency:**
- Water: *Served*
 - Sewer: *Fully Served*
 - Fire Service: *Urban Service Level*
- 4) **Environmentally Sensitive Areas:** The following apply to the proposed development site:
- Riparian Areas: *N/A*
 - Upland Forests: *N/A*
 - Vulnerable aquifers: The aquifer in this area is considered moderately vulnerable to depletion. The comprehensive plan recommends preserving natural open spaces and utilizing low impact development techniques whenever possible in new developments in order to maintain water quality and allow for the infiltration of stormwater onsite.

- 5) **Transportation System:** This site is located off S Dimple Drive, a Neighborhood Street in the Urban Low LUTA. The nearest transit (bus) service is located to the east along S Sunnyslane Road. Access to the City trail system is available to the east along the Tinker/Draper Trail at S Sooner Road.
- 6) **Other Development Related Policies**
 - Encourage the adaptive reuse of underutilized structures and the revitalization of older, economically distressed neighborhoods. (SU-21)
 - Require sidewalks on both sides of all streets in urban LUTAs. (C-7)
 - Share parking between contiguous developments. (C-31)
 - Support and incentivize the adaptive use of existing buildings, infill development, and brownfield development. (G-10)
 - Preserve mature, healthy trees and incorporate them into the design of new development or redevelopment projects to the greatest extent possible. (G-26)
 - Initiate new efforts to reduce sign clutter and improve the aesthetics of signs, while allowing for adequate and visible business identification (E-14)

b. Plan Conformance Considerations

The subject site is located along the west side of S Dimple Drive, in an area generally located north of SE 59th Street and west of S Sunnyslane Road. The proposed SPUD is requested to convert Highland Park Elementary School into a community health center. The SPUD has an O-2 District base zone and limits freestanding signs to one 8-foot-tall monument sign. Electronic message display (EMD) is not permitted. The comprehensive plan supports the adaptive reuse of existing buildings.

IV. STAFF RECOMMENDATION

Staff recommendations are advisory only and do not constitute Planning Commission decisions. Staff recommendations are based on a technical evaluation of information submitted at the time of review. Determination of conformance with policies contained in the comprehensive plan is the purview of the Planning Commission. Planning Commission decisions require a vote of five members to approve or deny an item. The Planning Commission may consider in its decision-making process any additional relevant information presented at the public hearing by the public, applicant, and/or City departments.


Approval of the application.

STAFF REPORT
The City of Oklahoma City
Planning Commission
October 13, 2022
SPUD-1455

Item No. IV. 15.


All Engineering Division and Water/Wastewater Utilities Division requirements must be met. Additional changes to the SPUD may be required during either Divisions review of construction plans and prior to City Council approval.

cl



site plan
1"=50'-0"





legend:

- partner: 21,182 s.f.
- w.i.c.: 5,673 s.f.
- clinical: 17,103 s.f.
- behavioral hlth: 4,354 s.f.
- geriatrics: 12,723 s.f.
- administration: 4,303 s.f.
- dental: 4,265 s.f.

floor plan
1/32"=1'-0"



Case No: SPUD-1455

Applicant: Independent School District Number 52

Existing Zoning: R-1

Location: 5301 S. Dimple Dr.



Aerial Photo from 2/2020



The City of
OKLAHOMA CITY

Simplified Planned Unit Development



0 200 400
Feet